



VALUE-DRIVEN, HIGH QUALITY ENCLOSED CARGO TRAILERS



WE MEAN BUSINESS

Pace American Trailers is a division of Novae LLC, one of the largest, fastest-growing trailer manufacturers in the USA. Our entire company is driven by the knowledge that many of our customers rely on our trailers for their very livelihood. When it comes to providing you with smart engineering, exceptional build quality and top-of-the line components, we will never compromise.





CARGO **TRAILERS**

OUTBACK DLX Available only in PA and IN

FEATURES

- Tube Main Frame
- 24" On-Center Z-Post Sidewalls
- 18" Deep Sloped V-Nose with 6" Drop
- 32" Wide Entry Door with Flush Lock, 36" on 8.5' Wide (Optional on 5' Wide)
- Metal Wire Door Holdback
- Choice of Ramp Door with Assist or Double Door







Ramp Door

Aluminum Frame Entry Door

1	Size	GVWR	Size	GVWR
	5' x 8' - 5' x 10'	3K	6' x 12'	7K
	6' x 10' - 6' x 14'	3K	7' x 12' - 7' x 16'	7K
			8.5' x 16' - 8.5' x 24'	7K
			8.5' x 18' - 8.5 x 24'	10K

12" Ramp Extension

JOURNEY Available only in UT, TX, and AZ **FEATURES**

- 24" On Center Tube Sidewalls
- Flat Top, 18" V-Nose
- 32" Entry Door withFlush Lock on 6' and 7' Wide/ 36" on 8.5' Wide
- Metal Wire Door Holdback
- Ramp Door with Spring Assist
- Radial Tires
- .030 Aluminum Exterior
- Fully Screwed Exterior (Color Matching Screws when Applicable)
- Seamless Aluminum Roof
- High Performance Wood Walls and Trim Large J-Trim on Ramp Door(s)

GVWR

8.5' x 16' - 8.5' x 24'	7K
8.5' x 16' - 8.5' x 24'	10K
+-	

JOURNEY SE FEATURES

- 6" Tube Main Frame (8.5' Models Only)
- 16" On-Center Full Height Crossmembers
- Triple Tube Tongue on all 8.5' Wide Models
- 16" On-Center Tube Sidewalls
- 24" Deep Sloped V-Nose with 6" Drop (30" on 8.5' Wide)

(Color Matching Screws When Applicable)

- Seamless Aluminum Roof

- 7/16" OSB Walls and Trim

- 32" Wide Entry Door with Flush Lock (36" on 8.5' Wide)
- Metal Wire Door Holdback
- Ramp Door with Assist and Ramp Flap
- Radial Tires
- Screwless, .030 Aluminum Exterior
- Seamless Aluminum Roof
- High Performance Wood Walls and Trim
- 3/4" High Performance Wood Flooring

•		•

Size	GVWR	Size	GVWR	Size	GVWR
5' x 8' - 5' x 10'	зк	6' x 10' - 6' x 14'	7K	7' x 14' - 7' X 20'	10K
6' x 10' - 6' x 14'	зк	7' x 12' - 7' x 20'	7K	7.5' x 14' - 7.5' x 20'	10K
5' x 8' - 5' x 10'	3.5K	7.5' x 14' - 7.5' x 20'	7K	8.5' x 12' - 8.5' x 34'	10K
7' x 12'	3.5K	8.5' x 12 -8.5' x 20'	7K	8.5' x 12' - 8.5' x 34'	14K

JOURNEY available in TX, AZ, and UT, JOURNEY SE available in all states.

CARGO SPORT FEATURES



- 6" Tongue Extension and Set-Back Jack
- 16" On-Center Tube Sidewalls
- 16" On-Center Roof Bows
- 32" Wide Entry Door with Flush Lock, 36" on 8.5' Wide
- Cast Aluminum Door Holdback
- 15" Aluminum Wheels
- Screwless, .030" Aluminum Exterior
- Large J-Trim on Ramp Door(s)
- High Performance Wood Walls and Trim
- Torsion Axles
- Polished Nose Cap
- LED Taillights with Integrated Backup Light



LED Dome Lights

Size	GVWR	Size	GVWR	Size	GVWR
5' x 8' - 5' x 10'	зк	6' x 12'	7K	7' x 14' - 7' X 20'	10K
6' x 10' - 6' x 14'	3К	7' x 12' - 7' x 20'	7K	7.5' x 14' - 7.5' x 20'	10K
5' x 8' - 5' x 10'	3.5K	7.5' x 14' - 7.5' X 20'	7K	8.5' x 16' - 8.5' x 34'	10K
7' x 12'	3.5K	8.5' x 12' - 8.5' x 26'	7K	8.5' x 16' - 8.5' x 24'	14K

Ask About CARGO SPORT Gooseneck

CAR **HAULERS**

OUTBACK DLX Available only in PA and IN

FEATURES

- 24" On-Center Crossmembers and Z-Post Sidewalls (7K Models)
- 16" On-Center Crossmembers and Tube Sidewalls (10K Models)
- 18" Deep Sloped V-Nose with 6" Drop
- Beavertail
- 36" Wide Entry Door with Flush Lock
- Metal Wire Door Holdback

- Rear Ramp Door with Spring Assist
- 16" Wood Ramp Flap
- Color Matching Exterior Screws
- Seamless Aluminum Roof
- 7/16" OSB Walls and Trim

Size	GVWR
8.5' x 16' - 8.5' x 24'	7K
8.5' x 16' - 8.5' x 24'	10K



JOURNEY Available only in UT, TX, and AZ **FEATURES** - 16" On-Center Crossmembers

- 24" On-Center Tube Sidewalls
- 24" On-Center Roof Bows
- Flat Top, 18" V-Nose
- Beavertail
- 36" Wide Entry Door with Flush Lock
- Metal Wire Door Holdback
- Ramp Door with Spring Assist
- 16" Wood Ramp Flap
- with Color Matching Screws
- (2) LED Dome Light(s) with Switch

JOURNEY SE FEATURES

- 16" On-Center Crossmembers, Tube Sidewalls, and Roof Bows
- Beavertail
- 36" Wide Entry Door with Flush Lock
- Ramp Door with Spring Assist
- 16" Wood Ramp Flap
- Screwless, .030 Aluminum Exterior
- Large J-Trim on Ramp Door(s)
- High Performance Wood Walls and Trim
- Lauan Ceiling Liner Strip
- (4) 5K D-Rings
- High Performance Wood Walls and Trim LED Taillights with Integrated Backup Light





4 Heavy Duty D-Rings

Size	GVWR
8.5' x 16' - 8.5' x 26'	7K
8.5' x 16' - 8.5' x 28'	10K

CAR HAULERS

CAR

HAULERS

CARGO SPORT FEATURES

- 6" Tongue Extension
- 16" On-Center Crossmembers, Tube Sidewalls, and Roof Bows
- Flat Top, 30" Aero Wedge with Radius Nose
- Beavertail
- 2K Set-Back Jack
- Cast Aluminum Door Holdback
- Ramp Door with Spring Assist
- 16" Wood Ramp Flap with Bullnose Cap



48" Entry Door with Flush Lock

- Torsion Brake Axles
- Aluminum Wheels
- Screwless, .030 Aluminum Exterior
- Seamless Aluminum Roof
- Brite Nose Cap
- High Performance Wood Walls and Trim
- White Thermoply Ceiling Liner
- (4) 5K D-Rings



CARGO SPORT GOOSENECK

- 8" Tube Main Frame
- 16" On-Center Crossmembers, Tube Sidewalls, and Roof Bows
- Beavertail
- (2) 12K Manual 2-Speed Jacks
- 36" Wide Entry Door with Flush Lock
- Rear Ramp Door with Spring Assist
- 16" Wood Ramp Flap with Bullnose Cap
- Torsion Brake Axles
- Radial Tires on Aluminum Wheels
- Screwless, .030 Aluminum Exterior
- Seamless Aluminum Roof
- Brite Front Radius Corners
- Large J-Trim on Ramp Door(s)
- Brite Aluminum Rear Hoop
- High Performance Wood Walls and Trim
- White Vinyl Ceiling with White Aluminum Coves
- 3/4" High Performance Wood Flooring
- (4) 5K D-Rings



48" Entry Door with Flush Lock

Size	GVWR
8.5' x 28' - 8.5' x 34'	10K
8.5' x 28' - 8.5' x 34'	14K
8.5' x 36' - 8.5' x 38'	15K
8.5' x 40' - 8.5' x 52'	21K




RACE TRAILERS

CARGO SPORT

FEATURES

- 9 mm White Walls
- White Vinyl Ceiling with Aluminum Coves
- Screwless, .030 Aluminum Exterior
- Torsion Axles
- Spring Assist Ramp Door
- 16" Ramp Extension with Bullnose Extrusion
- Aluminum Wheels



4 Heavy Duty D-Rings

- 84" Interior Height
- 6" Extended Tongue with Adjustable Coupler
- 11" Deluxe Dome Lights

Size	GVWR
8.5' x 20' - 8.5' x 26'	7K
8.5' x 20' - 8.5' x 34'	10K
8.5' x 20' - 8.5' x 34'	14K
8.5' x 26' - 8.5' x 34'	21K



CARGO SPORT ALUMINUM

- 2" x 8" or 2" x 6" Double Hollow Aluminum Tube Frame
- 16" On-Center Crossmembers
- Triple Tube Tongue
- 16" On-Center Tube Sidewalls and Roof Bows
- Beavertai
- Cast Aluminum Door Holdback
- Ramp Door with Spring Assist
- 16" Wood Ramp Flap with Bullnose Cap
- Aluminum Wheels
- Screwless, .030 Aluminum Exterior
- Seamless Aluminum Roof
- Brite Aluminum Top Wrap
- Brite Aluminum Radius Corners
- Brite Aluminum Rear Hoop
- 9" Deep Rear Flare with Brite Aluminum Ceiling
- White Vinyl Walls
- Aluminum H-Molding on Walls
- White Vinyl Ceiling with White Aluminum Coves
- White Vinyl H-Molding on Ceiling
- (2) Loading Lights under Spoiler with Switch



RACE **TRAILERS**

FEATURES

- (2) 11" LED Dome Light with Switch
- 48" Entry Door with Flush Lock
- Recessed Horizontal Cam Lock on Ramp Door
- Slide-Out Step and Aluminum Hold Backs
- Torsion Brake Axles

Size	GVWR
8.5' x 28' - 8.5' x 34'	10K
8.5' x 36' - 8.5' x 38'	15K
8.5' x 40' - 8.5' x 52'	21K

SHADOW GT GOOSENECK/FIFTH WHEEL

SHADOW GT



Aluminum Slide Out Step

Size	GVWR
8.5' x 20' - 8.5' x 26'	7K
8.5' x 20' - 8.5' x 32'	10K
8.5' x 20' - 8.5' x 34'	14K
8.5' x 26' - 8.5' x 34'	18K
8.5' x 26 - 8.5' x 34'	21K

- Bull Nose Racer Profile
- H/D "Truck Body" Top Trim and 5.5" Bottom Trim
- Stainless Cap and Stainless Front Corners
- Torsion Axles
- 16" On-Center Wall Studs, Crossmembers, and Roof Bows
- White Vinyl Walls
- Insulated White Vinyl Ceiling Liner
- Aluminum Wheels
- Screwless, .040 Exterior (White or Black Standard)
- 96" Wide Rear Opening
- Spread Axles with Extruded Fenders
- Stainless Steel Corners and Top Wrap
- Stainless Rear Spoiler



CONTRACTOR **TRAILERS**

PXT HAMMER

FEATURES

- 6" A-Frame Triple Tube Tongue
- 6" Tongue Extension
- 16" On-Center Crossmember and Tube Sidewalls
- 8" On-Center Roof Bows
- 7K Set-Back Jack
- 36" Wide Entry Door with Flush Lock
- Cast Aluminum Door Holdback
- Side Door Bar Lock
- Torsion Brake Axle(s)



Heavy-Duty All-Aluminum Toolboxes

Reinforced Roof

- Screwless Exterior
- Seamless Aluminum Roof
- High Performance Wood and ATP Covered Tongue
- (5) HD Ladder Racks with Rear Roller
- (1) Horizontal and (1) Vertical Aluminum Toolbox (12') 30 Amp Panel Box
- High Performance Wood Walls and Trim
- (2) 48", 110V Wrap Around LED Lights
- (2) 12V 3-Way Toggle Switches
- (2) 12V 10" LED Black Angled Loading Lights
- 30 Amp Motor Base Plug
- 25' 30 Amp Cord
- (4) 15 Amp Interior Receptacles
- (1) 15 Amp GFI Wall Exterior Receptacle

Size	GVWR
7' x 12' - 7' x 20'	7K
8.5' x 12' - 8.5' x 20'	7K
7' x 12' - 7' x 20'	10K
8.5' x 12' - 8.5' x 20'	10K

P	X	T	C/	4	? [0
---	---	---	----	---	------------	---

- 6" A-Frame Triple Tube Tonque
- 16" On-Center Full Height Crossmembers, Tube Sidewalls, Ceilings, and Roof Bows
- 36" Wide Entry Door with Flush Lock
- Cast Aluminum Door Holdback
- Torsion Brake Axles
- Screwless, .030 Aluminum Exterior
- Large J-Trim on Rear Doors
- High Performance Wood Walls and Trim

Size	GVWR
7' x 12' - 7' x 20'	7K
8.5' x 12' - 8.5' x 20'	7K
7' x 12' - 7' x 20'	10K
8.5' x 12' - 8.5' x 20'	10K



RECREATIONAL

TRAILERS

HIGHMARK ALUMINUM





Screwless Exterior

Front and Rear Ramps with Spring Assist

Size	GVWR
7' x 19' - 7' x 29'	7K

FEATURES

- 2" x 5" Double Hollow Aluminum Tube Frame
- 16" On-Center Crossmembers
- 3" x 5" Double Hollow Aluminum Tube Straight Center Tongue
- 16" On-Center Tube Sidewalls and Roof Bows
- 36" Wide Entry Door with Flush Lock
- (2) 14" x 14" Fuel Doors Passenger Side
- Ramp Door with Spring Assist
- 61" Wide Wedge Ramp Door with Spring Assist
- 12" Wood Flap with Hingeless Brackets
- Aluminum Bar Locks
- 15" Aluminum Wheel
- Screwless, .030 Aluminum Exterior
- 9 mm White Vinyl Walls with Aluminum H-Molding
- 3/4 x 24" High Performance Kick Plate
- White Vinyl Ceiling with H-Molding



MOAB UTV





Spare Tire

Size	GVWR
75' v 14' - 75' v 20'	10K

- 16" On-Center Crossmembers. Tube Sidewalls, and Roof Bows
- 30" Deep Sloped V-Nose with 12" Drop
- Pull-Out RV Step
- 30" x 27" Egress Window
- Ramp Door with Spring Assist
- 16" Wood Ramp Flap
- 15" Black Aluminum Wheels
- Screwless, .030 Aluminum Exterior
- White Vinyl Ceiling with Black Coves
- Black Rubber Tread Floor Overlay
- Happi-Jac Bed with Queen Mattress
- Porta Potti Cassette Toilet, Sink, Vanity
- (3) 18" LED Lights with Switch
- 30 Watt Solar Panel with10 Amp Control Panel





For over 20 years, Pace American has been known for innovation, durability and unequaled performance. Pace American offers a wide selection of trailers with unbeatable features and value. Whether you need a specially-customized trailer for your business or a nofrills trailer for everyday towing, Pace American has the perfect solution.



BUILT TO A HIGHER STANDARD

1 TUBE MAIN RAILS Lighter than I-Beam competitors while providing more torsional rigidity. Our trailers haul more and last longer.

2 FULL HEIGHT
Z-CROSSMEMBERS
Standard on all steel frames,
Z-shapes maximize strength
without adding weight. This
provides you with a true
unibody frame.



FULLY WELDED WHEELBOXES

Protect your valuables from the JOURNEYs by tying the wheelbox to the dust-proof wall. This prevents dust and debris from blanketing your cargo.



REINFORCED PLATE

7 ga steel bentline reinforces the tongue assembly to the main rail. This distributes the forces over a wider area and picks up the full strength of tube tongue members.



DUST WALL DESIGN

Featured on 8.5' models, it prevents water, dust, and debris from entering the interior and inner wall cavity while adding strength as a structural component. All other models are sealed by the wall sitting on the frame rail.

6 CROWNED TUBE ROOF BOWS Superior to stamped hat sections, crowned tube bows transfer vertical loads to the sidewalls for added strength and shed water more effectively than flat roofs.



TIE DOWNS

All of our recessed floor mounted D-rings are bolted to a frame-welded backing plate.

7 ELECTRIC BRAKES

When it comes to safety, we will never cut corners. Gel-coat fittings are used on all brake connections. All tandem and triple axle models have brakes on all axles.



HEAVY DUTY HINGES All ramp doors are standard with heavy duty hinges, grease zerks and a solid 3/4" steel rod for added strength.





11550 Harter Drive Middlebury, IN 46540



SCAN TO VISIT **OUR WEBSITE**









paceamerican.com

Information printed in this brochure is based upon the latest product data available at the time of printing. Pace American reserves the right to make changes at any time pursuant to colors, materials, models, specifications, options or pricing without notice or obligation. All specifications are approximate and dimensions are nominal. Text may refer to optional equipment which may not be included as standard items on your model of choice. Photography and illustrations may also show optional items available at an additional cost. Consult your authorized Pace American dealer for complete details. All rights reserved.

© 2023 Novae LLC



Authorized Pace American Trailer Dealer