

## STANDARD FEATURES

Round Top Round Front  
 16" On-Center Crossmembers  
 6" Tongue Extension  
 16" On-Center Tube Sidewalls  
 16" On-Center Roof Bows  
 Safety Chains  
 2K Set-Back Jack  
 Superlube Hubs  
 15" Aluminum Wheels  
 High Performance Wood Walls

3/4" High Performance Wood Flooring  
 Automotive Undercoating  
 White Thermoply Ceiling Liner  
 Bullet LED Marker and Clearance Lights  
 Slimline LED Tail Lights with Integrated Backup Light  
 (2) LED Dome Light(s) with Switch  
 0.030 Aluminum Exterior  
 Brite Aluminum Rear Hoop  
 White, Black, Silver, Pewter, Charcoal  
 Screwless Exterior

24" Tall Straight ATP Stone Guard  
 Brite Aluminum Radius Corners  
 .080 Mill Finish Aluminum Cove  
 3" Bottom Trim  
 TPO Cap  
 Seamless Aluminum Roof  
 Cast Aluminum Door Holdback  
 Rear Ramp Door with Spring Assist  
 12" Ramp Flap with Bullnose Cap  
 Sidewall Vents

## 6 WIDE MODELS

MODEL	6 x 10	6 x 12	6 x 14	6 x 12
MODEL #	KP7210VSRF-030	KP7212VSRF-030	KP7214VSRF-030	KP7212VSRF-070
GVWR	2990			7000
MAIN FRAME	3" Tube Main Frame			6" Tube Main Frame
TUBE TONGUE	3" A-Frame Tube Tongue			6" A-Frame Triple Tube Tongue
INTERIOR HEIGHT	72" Interior Height			78" Interior Height
COUPLER	2" Adjustable Ball Coupler			2-5/16" Adjustable Ball Coupler
AXLES	Torsion Idler Axle			Torsion Brake Axle(s)
BREAKAWAY	n/a			Breakaway Battery with Switch
ELECTRIC PLUG	4-Way Electric Plug			7-Way Electric Plug

ATP Fenders  
 ST205/75R15 'C' Radial Tires  
 32" Wide Entry Door with Flush Lock  
 RAMP DOOR CAPACITY : 1500

## 7 WIDE MODELS

MODEL	7 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	7 x 14	7 x 16	7 x 18	7 x 20
MODEL #	KP8412VSRF-035	KP8412VSRF-070	KP8414VSRF-070	KP8416VSRF-070	KP8418VSRF-070	KP8420VSRF-070	KP8414VSRF-100	KP8416VSRF-100	KP8418VSRF-100	KP8420VSRF-100
GVWR	3500	7000					9900			
MAIN FRAME	4" Tube Main Frame	6" Tube Main Frame								
TUBE TONGUE	4" A-Frame Tube Tongue	6" A-Frame Triple Tube Tongue								
INTERIOR HEIGHT	72" Interior Height	78" Interior Height								
COUPLER	2" Adjustable Ball Coupler	2-5/16" Adjustable Ball Coupler								
TIRES	ST205/75R15 'C' Radial Tires						ST225/75R15 'D' Radial Tires			

ATP Fenders  
 Torsion Brake Axle(s)

7-Way Electric Plug  
 Breakaway Battery with Switch

32" Wide Entry Door with Flush Lock  
 RAMP DOOR CAPACITY : 2500

## STANDARD FEATURES

16" On-Center Crossmembers  
 6" Tongue Extension  
 16" On-Center Tube Sidewalls  
 16" On-Center Roof Bows  
 Safety Chains  
 Superlube Hubs  
 High Performance Wood Walls  
 3/4" High Performance Wood Flooring

Automotive Undercoating  
 White Thermoply Ceiling Liner  
 Bullet LED Marker and Clearance Lights  
 (2) LED Dome Light(s) with Switch  
 0.030 Aluminum Exterior  
 Brite Aluminum Rear Hoop  
 White, Black, Silver, Pewter, Charcoal  
 Screwless Exterior

24" Tall Straight ATP Stone Guard  
 Brite Nose Cap  
 2.5" Top Trim  
 3" Bottom Trim  
 Seamless Aluminum Roof  
 Rear Ramp Door with Spring Assist  
 12" Ramp Flap with Bullnose Cap  
 Sidewall Vents

## 5 WIDE MODELS

MODEL	5 x 8	5 x 10	5 x 8
MODEL #	KP6008VSSV-030	KP6010VSSV-030	KP6008VSSV-035
GVWR	2990		3500
AXLES	Torsion Idler Axle		Torsion Brake Axle(s)
ELECTRIC PLUG	4-Way Electric Plug		7-Way Electric Plug
BREAKAWAY	n/a		Breakaway Battery with Switch
TAILLIGHTS	Slimline LED Stop/Turn/Tail Lights		Slimline LED Tail Lights with Integrated Backup Light

Flat Top, 24" Aero Wedge with Radius Nose  
 3" Tube Main Frame  
 3" A-Frame Tube Tongue  
 66" Interior Height  
 2" Adjustable Ball Coupler  
 2K Set-Back Jack  
 ATP Fenders  
 15" Aluminum Wheels  
 ST205/75R15 'C' Radial Tires  
 RAMP DOOR CAPACITY : 1500

## 6 WIDE MODELS

MODEL	6 x 10	6 x 12	6 x 14	6 x 10	6 x 12	6 x 14	6 x 10	6 x 12	6 x 14	6 x 12	
MODEL #	KP7210VSSV-030	KP7212VSSV-030	KP7214VSSV-030	KP7210VSSV-035	KP7212VSSV-035	KP7214VSSV-035	KP7210VSSV-050	KP7212VSSV-050	KP7214VSSV-050	KP7212VSSV-070	
GVWR	2990			3500			5000			7000	
MAIN FRAME	3" Tube Main Frame						4" Tube Main Frame			6" Tube Main Frame	
TUBE TONGUE	3" A-Frame Tube Tongue						4" A-Frame Tube Tongue			6" A-Frame Triple Tube Tongue	
INTERIOR HEIGHT	72" Interior Height									78" Interior Height	
COUPLER	2" Adjustable Ball Coupler									2-5/16" Adjustable Ball Coupler	
AXLES	Torsion Idler Axle			Torsion Brake Axle(s)							
ELECTRIC PLUG	4-Way Electric Plug			7-Way Electric Plug							
BREAKAWAY	n/a			Breakaway Battery with Switch							
TAILLIGHTS	Slimline LED Stop/Turn/Tail Lights			Slimline LED Tail Lights with Integrated Backup Light							

Flat Top, 24" Aero Wedge with Radius Nose  
 2K Set-Back Jack  
 ATP Fenders  
 ST205/75R15 'C' Radial Tires  
 15" Aluminum Wheels  
 32" Wide Entry Door with Flush Lock  
 Cast Aluminum Door Holdback  
 RAMP DOOR CAPACITY : 1500

### 7 WIDE MODELS

MODEL	7 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	7 x 14	7 x 16	7 x 18	7 x 20
MODEL #	KP8412VSSV-035	KP8412VSSV-070	KP8414VSSV-070	KP8416VSSV-070	KP8418VSSV-070	KP8420VSSV-070	KP8414VSSV-100	KP8416VSSV-100	KP8418VSSV-100	KP8420VSSV-100
GVWR	3500	7000				9900				
MAIN FRAME	4" Tube Main Frame		6" Tube Main Frame							
TUBE TONGUE	6" A-Frame Tube Tongue		6" A-Frame Triple Tube Tongue							
INTERIOR HEIGHT	72" Interior Height		78" Interior Height							
COUPLER	2" Adjustable Ball Coupler		2-5/16" Adjustable Ball Coupler							
TIRES	ST205/75R15 'C' Radial Tires					ST225/75R15 'D' Radial Tires				

Flat Top, 24" Aero Wedge with Radius Nose  
2K Set-Back Jack  
ATP Fenders  
Torsion Brake Axle(s)

15" Aluminum Wheels  
7-Way Electric Plug  
Breakaway Battery with Switch  
Slimline LED Tail Lights with Integrated Backup Light

32" Wide Entry Door with Flush Lock  
Cast Aluminum Door Holdback  
RAMP DOOR CAPACITY : 2500

### 7.5 WIDE MODELS

MODEL	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20
MODEL #	KP9014VSSV-070	KP9016VSSV-070	KP9018VSSV-070	KP9020VSSV-070	KP9014VSSV-100	KP9016VSSV-100	KP9018VSSV-100	KP9020VSSV-100
GVWR	7000				9900			
TIRES	ST205/75R15 'C' Radial Tires				ST225/75R15 'D' Radial Tires			

Flat Top, 24" Aero Wedge with Radius Nose  
6" Tube Main Frame  
6" A-Frame Triple Tube Tongue  
78" Interior Height  
2-5/16" Adjustable Ball Coupler

2K Set-Back Jack  
ATP Fenders  
Torsion Brake Axle(s)  
15" Aluminum Wheels  
7-Way Electric Plug

Breakaway Battery with Switch  
Slimline LED Tail Lights with Integrated Backup Light  
32" Wide Entry Door with Flush Lock  
Cast Aluminum Door Holdback  
RAMP DOOR CAPACITY : 2500

## 8.5 WIDE MODELS

MODEL	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 16	8.5 x 18
MODEL #	KP10212VSSV-070	KP10214VSSV-070	KP10216VSSV-070	KP10218VSSV-070	KP10212VSSV-100	KP10214VSSV-100	KP10216VSSV-100	KP10218VSSV-100	KP10216VSSV-140	KP10218VSSV-140
GVWR	7000				9900				14000	14000
MAIN FRAME	6" Tube Main Frame								8" Tube Main Frame	
TUBE TONGUE	6" A-Frame Triple Tube Tongue								8" A-Frame Triple Tube Tongue	
TONGUE JACK	2K Set-Back Jack								7K Set-Back Jack	
TIRES	ST205/75R15 'C' Radial Tires				ST225/75R15 'D' Radial Tires				ST235/80R16 'E' Radial Tires	
WHEELS	15" Aluminum Wheels								16" Aluminum Wheels	
SAFETY	n/a								DOT Red/White Conspicuity	

MODEL	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 20	8.5 x 22	8.5 x 24
MODEL #	KP10220VSSV-070	KP10222VSSV-070	KP10224VSSV-070	KP10220VSSV-100	KP10222VSSV-100	KP10224VSSV-100	KP10220VSSV-140	KP10222VSSV-140	KP10224VSSV-140
GVWR	7000			9900			14000		
MAIN FRAME	6" Tube Main Frame						8" Tube Main Frame		
TUBE TONGUE	6" A-Frame Triple Tube Tongue						8" A-Frame Triple Tube Tongue		
TONGUE JACK	2K Set-Back Jack						7K Set-Back Jack		
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			ST235/80R16 'E' Radial Tires		
WHEELS	15" Aluminum Wheels						16" Aluminum Wheels		
SAFETY	n/a						DOT Red/White Conspicuity		

MODEL	8.5 x 26	8.5 x 28	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
MODEL #	KP10226VSSV-070	KP10228VSSV-070	KP10226VSSV-100	KP10228VSSV-100	KP10230VSSV-100	KP10232VSSV-100	KP10234VSSV-100
GVWR	7000			9900			
MAIN FRAME	6" Tube Main Frame	8" Tube Main Frame	6" Tube Main Frame	8" Tube Main Frame			
TUBE TONGUE	6" A-Frame Triple Tube Tongue	8" A-Frame Triple Tube Tongue	6" A-Frame Triple Tube Tongue	8" A-Frame Triple Tube Tongue			
TONGUE JACK	2K Set-Back Jack	5K Set-Back Jack	2K Set-Back Jack	5K Set-Back Jack			
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			
WHEELS	15" Aluminum Wheels						

Flat Top, 30" Aero Wedge with Radius Nose  
78" Interior Height  
2-5/16" Adjustable Ball Coupler  
Smooth Aluminum Fender Flares

Torsion Brake Axle(s)  
7-Way Electric Plug  
Breakaway Battery with Switch  
Slimline LED Tail Lights with Integrated Backup Light

32" Wide Entry Door with Flush Lock  
Interior Recessed Step  
Cast Aluminum Door Holdback  
RAMP DOOR CAPACITY : 4000

**THIS PAGE INTENTIONALLY LEFT BLANK**

**8.5 WIDE MODELS**

MODEL	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
MODEL #	KP10216VSRF-070	KP10218VSRF-070	KP10220VSRF-070	KP10212VSRF-100	KP10214VSRF-100	KP10216VSRF-100	KP10218VSRF-100	KP10220VSRF-100
GVWR	7000			9900				
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires				

MODEL	8.5 x 22	8.5 x 24	8.5 x 22	8.5 x 24	8.5 x 26
MODEL #	KP10222VSRF-070	KP10224VSRF-070	KP10222VSRF-100	KP10224VSRF-100	KP10226VSRF-100
GVWR	7000		9900		
TIRES	ST205/75R15 'C' Radial Tires		ST225/75R15 'D' Radial Tires		

6" Tube Main Frame  
6" A-Frame Triple Tube Tongue  
78" Interior Height  
2-5/16" Adjustable Ball Coupler

Smooth Aluminum Fender Flares  
Torsion Brake Axle(s)  
7-Way Electric Plug  
Breakaway Battery with Switch

32" Wide Entry Door with Flush Lock  
Interior Recessed Step