

STANDARD FEATURES

Round Top Round Front
 16" On-Center Crossmembers
 16" On-Center Tube Sidewalls
 Safety Chains
 2K Coupler Mounted Jack
 Superlube Hubs
 15" Silver Steel Wheels
 High Performance Wood Walls
 3/4" High Performance Wood Flooring

Automotive Undercoating
 Lauan Ceiling Liner Strip
 Bullet LED Marker and Clearance Lights
 (1) LED Dome Light with Switch
 0.030 Aluminum Exterior
 Color Matching Rear Hoop
 White, Black, Silver, Pewter, Charcoal
 Screwless Exterior

24" Tall Straight ATP Stone Guard
 .080 Mill Finish Aluminum Cove
 1.5" Bottom Trim
 TPO Cap
 Seamless Aluminum Roof
 Rear Ramp Door with Spring Assist
 12" Wood Flap with Continuous Hinge
 Sidewall Vents

6 WIDE MODELS

MODEL	6 x 10	6 x 12	6 x 14	6 x 12
MODEL #	KP7210SERF-030	KP7212SERF-030	KP7214SERF-030	KP7212SERF-070
GVWR	2990			7000
MAIN FRAME	3" Tube Main Frame			4" Tube Main Frame
TUBE TONGUE	3" A-Frame Tube Tongue			4" A-Frame Tube Tongue
INTERIOR HEIGHT	72" Interior Height			78" Interior Height
COUPLER	2" A-Frame Ball Coupler			2-5/16" A-Frame Ball Coupler
AXLES	Drop Spring Idler Axle			Drop Spring Brake Axle(s)
ELECTRIC PLUG	4-Way Electric Plug			7-Way Electric Plug
BREAKAWAY	n/a			Breakaway Battery with Switch
TAILLIGHTS	Slimline LED Stop/Turn/Tail Lights			Slimline LED Tail Lights with Integrated Backup Light

24" On-Center Roof Bows
 Smooth Aluminum Fenders
 ST205/75R15 'C' Radial Tires
 32" Wide Entry Door with Flush Lock
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 1500

7 WIDE MODELS

MODEL	7 x 12	7 x 12
MODEL #	KP8412SERF-035	KP8412SERF-070
GVWR	3500	7000
MAIN FRAME	4" Tube Main Frame	
INTERIOR HEIGHT	72" Interior Height	78" Interior Height
COUPLER	2" A-Frame Ball Coupler	2-5/16" A-Frame Ball Coupler
TIRES	ST205/75R15 'C' Radial Tires	

MODEL	7 x 14	7 x 16	7 x 18	7 x 20	7 x 14	7 x 16	7 x 18	7 x 20
MODEL #	KP8414SERF-070	KP8416SERF-070	KP8418SERF-070	KP8420SERF-070	KP8414SERF-100	KP8416SERF-100	KP8418SERF-100	KP8420SERF-100
GVWR	7000				9900			
MAIN FRAME	4" Tube Main Frame			6" Tube Main Frame				
INTERIOR HEIGHT	78" Interior Height							
COUPLER	2-5/16" A-Frame Ball Coupler							
TIRES	ST205/75R15 'C' Radial Tires				ST225/75R15 'D' Radial Tires			

6" A-Frame Tube Tongue
 24" On-Center Roof Bows
 Smooth Aluminum Fenders
 Drop Spring Brake Axle(s)

7-Way Electric Plug
 Breakaway Battery with Switch
 Slimline LED Tail Lights with Integrated Backup Light

32" Wide Entry Door with Flush Lock
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 2500

STANDARD FEATURES

16" On-Center Crossmembers
 16" On-Center Tube Sidewalls
 Safety Chains
 Superlube Hubs
 High Performance Wood Walls
 3/4" High Performance Wood Flooring
 Automotive Undercoating
 Luan Ceiling Liner Strip

Bullet LED Marker and Clearance Lights
 (1) LED Dome Light with Switch
 0.030 Aluminum Exterior
 Color Matching Rear Hoop
 White, Black, Silver, Pewter, Charcoal
 Screwless Exterior
 24" Tall Straight ATP Stone Guard

ATP Nose Cap
 2.5" Top Trim
 1.5" Bottom Trim
 Seamless Aluminum Roof
 Rear Ramp Door with Spring Assist
 12" Wood Flap with Continuous Hinge
 Sidewall Vents

5 WIDE MODELS

MODEL	5 x 8	5 x 10	5 x 8	5 x 10
MODEL #	KP6008SESV-030	KP6010SESV-030	KP6008SESV-035	KP6010SESV-035
GVWR	2990		3500	
AXLES	Drop Spring Idler Axle		Drop Spring Brake Axle(s)	
ELECTRIC PLUG	4-Way Electric Plug		7-Way Electric Plug	
BREAKAWAY	n/a		Breakaway Battery with Switch	
TAILLIGHTS	Slimline LED Stop/Turn/Tail Lights		Slimline LED Tail Lights with Integrated Backup Light	

24" Deep Sloped V-Nose with 6" Drop
 3" Tube Main Frame
 3" A-Frame Tube Tongue
 66" Interior Height
 24" On-Center Roof Bows
 2" A-Frame Ball Coupler
 2K Coupler Mounted Jack
 Smooth Aluminum Fenders
 ST205/75R15 'C' Radial Tires
 15" Silver Steel Wheels
 RAMP DOOR CAPACITY : 1500

6 WIDE MODELS

MODEL	6 x 10	6 x 12	6 x 14	6 x 10	6 x 12	6 x 14	6 x 10	6 x 12	6 x 14
MODEL #	KP7210SESV-030	KP7212SESV-030	KP7214SESV-030	KP7210SESV-035	KP7212SESV-035	KP7214SESV-035	KP7210SESV-050	KP7212SESV-050	KP7214SESV-050
GVWR	2990			3500			5000		
MAIN FRAME	3" Tube Main Frame						4" Tube Main Frame		
TUBE TONGUE	3" A-Frame Tube Tongue						4" A-Frame Tube Tongue		
INTERIOR HEIGHT	72" Interior Height								
COUPLER	2" A-Frame Ball Coupler								
AXLES	Drop Spring Idler Axle			Drop Spring Brake Axle(s)					
TIRES	ST205/75R15 'C' Radial Tires						ST225/75R15 'D' Radial Tires		
ELECTRIC PLUG	4-Way Electric Plug			7-Way Electric Plug					
BREAKAWAY	n/a			Breakaway Battery with Switch					
TAILLIGHTS	Slimline LED Stop/Turn/Tail Lights			Slimline LED Tail Lights with Integrated Backup Light					

MODEL	6 x 10	6 x 12	6 x 14
MODEL #	KP7210SESV-070	KP7212SESV-070	KP7214SESV-070
GVWR	7000		
MAIN FRAME	4" Tube Main Frame		
TUBE TONGUE	4" A-Frame Tube Tongue		
INTERIOR HEIGHT	78" Interior Height		
COUPLER	2-5/16" A-Frame Ball Coupler		
AXLES	Drop Spring Brake Axle(s)		
TIRES	ST205/75R15 'C' Radial Tires		
ELECTRIC PLUG	7-Way Electric Plug		
BREAKAWAY	Breakaway Battery with Switch		
TAILLIGHTS	Slimline LED Tail Lights with Integrated Backup Light		

24" Deep Sloped V-Nose with 6" Drop
 24" On-Center Roof Bows
 2K Coupler Mounted Jack
 Smooth Aluminum Fenders

15" Silver Steel Wheels
 32" Wide Entry Door with Flush Lock
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 1500

7 WIDE MODELS

MODEL	7 x 12	7 x 12
MODEL #	KP8412SESV-035	KP8412SESV-070
GVWR	3500	7000
MAIN FRAME	4" Tube Main Frame	
INTERIOR HEIGHT	72" Interior Height	78" Interior Height
COUPLER	2" A-Frame Ball Coupler	2-5/16" A-Frame Ball Coupler
TIRES	ST205/75R15 'C' Radial Tires	
TAILLIGHTS	Slimline LED Tail Lights with Integrated Backup Light	

24" Deep Sloped V-Nose with 6" Drop
 6" A-Frame Tube Tongue
 24" On-Center Roof Bows
 2K Coupler Mounted Jack
 Smooth Aluminum Fenders
 Drop Spring Brake Axle(s)

15" Silver Steel Wheels
 7-Way Electric Plug
 Breakaway Battery with Switch
 32" Wide Entry Door with Flush Lock
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 2500

MODEL	7 x 14	7 x 16	7 x 18	7 x 20	7 x 14	7 x 16	7 x 18	7 x 20
MODEL #	KP8414SESV-070	KP8416SESV-070	KP8418SESV-070	KP8420SESV-070	KP8414SESV-100	KP8416SESV-100	KP8418SESV-100	KP8420SESV-100
GVWR	7000				9900			
MAIN FRAME	4" Tube Main Frame			6" Tube Main Frame				
INTERIOR HEIGHT	78" Interior Height							
COUPLER	2-5/16" A-Frame Ball Coupler							
TIRES	ST205/75R15 'C' Radial Tires				ST225/75R15 'D' Radial Tires			
TAILLIGHTS	Slimline LED Tail Lights with Integrated Backup Light							

7.5 WIDE MODELS

MODEL	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20
MODEL #	KP9014SESV-070	KP9016SESV-070	KP9018SESV-070	KP9020SESV-070	KP9014SESV-100	KP9016SESV-100	KP9018SESV-100	KP9020SESV-100
GVWR	7000				9900			
TIRES	ST205/75R15 'C' Radial Tires				ST225/75R15 'D' Radial Tires			

24" Deep Sloped V-Nose with 6" Drop
 6" Tube Main Frame
 6" A-Frame Tube Tongue
 78" Interior Height
 24" On-Center Roof Bows
 2-5/16" A-Frame Ball Coupler

2K Coupler Mounted Jack
 Smooth Aluminum Fenders
 Drop Spring Brake Axle(s)
 15" Silver Steel Wheels
 7-Way Electric Plug

Breakaway Battery with Switch
 Slimline LED Tail Lights with Integrated Backup Light
 32" Wide Entry Door with Flush Lock
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 2500

8.5x12 - 8.5x16 MODELS

MODEL	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 12	8.5 x 14	8.5 x 16
MODEL #	KP10212SESV-070	KP10214SESV-070	KP10216SESV-070	KP10212SESV-100	KP10214SESV-100	KP10216SESV-100	KP10212SESV-140	KP10214SESV-140	KP10216SESV-140
GVWR	7000			9900			14000		
MAIN FRAME	6" Tube Main Frame						8" Tube Main Frame		
COUPLER	2-5/16" A-Frame Ball Coupler						2-5/16" Adjustable Ball Coupler		
TUBE TONGUE	6" A-Frame Triple Tube Tongue						8" A-Frame Triple Tube Tongue		
TONGUE JACK	2K Coupler Mounted Jack						7K Set-Back Jack		
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			ST235/80R16 'E' Radial Tires		
WHEELS	15" Silver Steel Wheels						16" Silver Steel Wheels		
SAFETY	n/a						DOT Red/White Conspicuity		

8.5x20 - 8.5x28 MODELS

MODEL	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 18	8.5 x 20	8.5 x 22
MODEL #	KP10218SESV-070	KP10220SESV-070	KP10222SESV-070	KP10218SESV-100	KP10220SESV-100	KP10222SESV-100	KP10218SESV-140	KP10220SESV-140	KP10222SESV-140
GVWR	7000			9900			14000		
MAIN FRAME	6" Tube Main Frame						8" Tube Main Frame		
COUPLER	2-5/16" A-Frame Ball Coupler						2-5/16" Adjustable Ball Coupler		
TUBE TONGUE	6" A-Frame Triple Tube Tongue						8" A-Frame Triple Tube Tongue		
TONGUE JACK	2K Coupler Mounted Jack						7K Set-Back Jack		
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			ST235/80R16 'E' Radial Tires		
WHEELS	15" Silver Steel Wheels						16" Silver Steel Wheels		
SAFETY	n/a						DOT Red/White Conspicuity		

MODEL	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 24	8.5 x 26	8.5 x 28
MODEL #	KP10224SESV-070	KP10226SESV-070	KP10228SESV-070	KP10224SESV-100	KP10226SESV-100	KP10228SESV-100	KP10224SESV-140	KP10226SESV-140	KP10228SESV-140
GVWR	7000			9900			14000		
MAIN FRAME	6" Tube Main Frame	8" Tube Main Frame	6" Tube Main Frame	8" Tube Main Frame					
COUPLER	2-5/16" A-Frame Ball Coupler						2-5/16" Adjustable Ball Coupler		
TUBE TONGUE	6" A-Frame Triple Tube Tongue	8" A-Frame Triple Tube Tongue	6" A-Frame Triple Tube Tongue	8" A-Frame Triple Tube Tongue					
TONGUE JACK	2K Coupler Mounted Jack	5K Coupler Mounted Jack	2K Coupler Mounted Jack	5K Coupler Mounted Jack					
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			ST235/80R16 'E' Radial Tires		
WHEELS	15" Silver Steel Wheels						16" Silver Steel Wheels		
SAFETY	n/a						DOT Red/White Conspicuity		

8.5x30 - 8.5x34 MODELS

MODEL	8.5 x 30	8.5 x 32	8.5 x 34	8.5 x 30	8.5 x 32	8.5 x 34	8.5 x 30	8.5 x 32	8.5 x 34
MODEL #	KP10230SESV-070	KP10232SESV-070	KP10234SESV-070	KP10230SESV-100	KP10232SESV-100	KP10234SESV-100	KP10230SESV-140	KP10232SESV-140	KP10234SESV-140
GVWR	7000			9900			14000		
MAIN FRAME	8" Tube Main Frame								
COUPLER	2-5/16" A-Frame Ball Coupler						2-5/16" Adjustable Ball Coupler		
TUBE TONGUE	8" A-Frame Triple Tube Tongue								
TONGUE JACK	5K Coupler Mounted Jack								
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires			ST235/80R16 'E' Radial Tires		
WHEELS	15" Silver Steel Wheels						16" Silver Steel Wheels		
SAFETY	n/a						DOT Red/White Conspicuity		

30" Deep Sloped V-Nose with 6" Drop
78" Interior Height
16" On-Center Roof Bows
Smooth Aluminum Fender Flares

Drop Spring Brake Axle(s)
7-Way Electric Plug
Breakaway Battery with Switch
Slimline LED Tail Lights with Integrated Backup Light

32" Wide Entry Door with Flush Lock
Interior Recessed Step
Metal Wire Door Holdback
RAMP DOOR CAPACITY : 4000



8.5 WIDE MODELS

MODEL	8.5 x 16	8.5 x 18	8.5 x 16	8.5 x 18
MODEL #	KP10216SERF-070	KP10218SERF-070	KP10216SERF-100	KP10218SERF-100
GVWR	7000		9900	
TIRES	ST205/75R15 'C' Radial Tires			

MODEL	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 20	8.5 x 22	8.5 x 24
MODEL #	KP10220SERF-070	KP10222SERF-070	KP10224SERF-070	KP10220SERF-100	KP10222SERF-100	KP10224SERF-100
GVWR	7000			9900		
TIRES	ST205/75R15 'C' Radial Tires			ST225/75R15 'D' Radial Tires		

6" Tube Main Frame
 6" A-Frame Triple Tube Tongue
 78" Interior Height
 16" On-Center Roof Bows
 2-5/16" A-Frame Ball Coupler

Smooth Aluminum Fender Flares
 Drop Spring Brake Axle(s)
 7-Way Electric Plug
 Breakaway Battery with Switch
 Slimline LED Tail Lights with Integrated Backup Light

32" Wide Entry Door with Flush Lock
 Interior Recessed Step
 Metal Wire Door Holdback
 RAMP DOOR CAPACITY : 4000

