



**CARGOSPORT CAR HAULER
CARGOSPORT FLAT TOP AERO WEDGE 7K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216VSSVCH-070	KP10218VSSVCH-070	KP10220VSSVCH-070	KP10222VSSVCH-070	KP10224VSSVCH-070	KP10226VSSVCH-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Aero Wedge					
Beavertail	32"			48"		
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CARGOSPORT CAR HAULER CARGOSPORT FLAT TOP AERO WEDGE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228VSSVCH-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	6" Extension, 8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" Adjustable
Safety Chains	DOT Compliant
Tongue Jack	5K Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Aero Wedge
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Aluminum
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	White ThermoPly®
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT CAR HAULER
CARGOSPORT FLAT TOP AERO WEDGE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216VSSVCH-100	KP10218VSSVCH-100	KP10220VSSVCH-100	KP10222VSSVCH-100	KP10224VSSVCH-100	KP10226VSSVCH-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Aero Wedge					
Beavertail	32"					48"
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT CAR HAULER
CARGOSPORT FLAT TOP AERO WEDGE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228VSSVCH-100
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	6" Extension, 8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" Adjustable
Safety Chains	DOT Compliant
Tongue Jack	5K Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Aero Wedge
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 5200 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Aluminum
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	White ThermoPly®
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT CAR HAULER
CARGOSPORT FLAT TOP AERO WEDGE 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216VSSVCH-140	KP10218VSSVCH-140	KP10220VSSVCH-140	KP10222VSSVCH-140	KP10224VSSVCH-140	KP10226VSSVCH-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Aero Wedge					
Beavertail	32"			48"		
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT CAR HAULER
CARGOSPORT FLAT TOP AERO WEDGE 14K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228VSSVCH-140
CAPACITIES	
GVWR (lbs)	14000
GAWR (lbs/axle)	7000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	6" Extension, 8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" Adjustable
Safety Chains	DOT Compliant
Tongue Jack	7K Drop Leg, Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Aero Wedge
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 7000 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST235/80R16E 10-PR
Wheels	16", 8-Hole Aluminum
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	White ThermoPly®
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.