

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
<b>Model #</b>	KP8414VSSV-140	KP8416VSSV-140	KP8418VSSV-140	KP8420VSSV-140	KP10216VSSV-140	KP10218VSSV-140
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	14000					
<b>GAWR (lbs/axle)</b>	7000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube				8" x 2" Steel Tube	
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube				6" Extension, 8" x 2" Steel Triple Tube	
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>					Interior Recessed	
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back				7K Drop Leg, Set-Back	
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge				30" Aero Wedge	
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 2500 lb. with Assist				12" Extension with Bullnose Cap, 4000 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>					Smooth Aluminum	
<b>Axle</b>	(2) 7000 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST235/80R16E 10-PR					
<b>Wheels</b>	16", 8-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT CARGO  
CARGOSPORT FLAT TOP AERO WEDGE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	KP10220VSSV-140	KP10222VSSV-140	KP10224VSSV-140
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		14000	
<b>GAWR (lbs/axle)</b>		7000	
<b>CHASSIS</b>			
<b>Frame</b>	8" x 2" Steel Tube		
<b>Tongue</b>	6" Extension, 8" x 2" Steel Triple Tube		
<b>Crossmembers</b>	Formed Steel, 16" On-Center		
<b>Integrated Step(s)</b>	Interior Recessed		
<b>Coupler</b>	2-5/16" Adjustable		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	7K Drop Leg, Set-Back		
<b>Wall Studs</b>	Steel Tube, 16" On-Center		
<b>Roof Bows</b>	Steel Tube, 16" On-Center		
<b>Front Profile</b>	30" Aero Wedge		
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist		
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Smooth Aluminum		
<b>Axle</b>	(2) 7000 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST235/80R16E 10-PR		
<b>Wheels</b>	16", 8-Hole Aluminum		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Automotive		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop		
<b>Stone Guard</b>	24" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions		
<b>Ceiling</b>	White ThermoPly®		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT CARGO  
CARGOSPORT FLAT TOP AERO WEDGE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
<b>Model #</b>	KP6008VSSV-035	KP6008VSSV-030	KP6010VSSV-030	KP6010VSSV-035	KP7210VSSV-035	KP7210VSSV-030
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	3500	2990		3500		2990
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	3" x 2" Aluminum Tube					
<b>Tongue</b>	3" x 2" Steel Tube, 6" Extension					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Coupler</b>	2" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 1500 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Axle</b>	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard		
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade	Flat 4-pin		Round 7-pin Blade		Flat 4-pin

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CARGOSPORT CARGO  
CARGOSPORT FLAT TOP AERO WEDGE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant		Full LED, DOT Compliant, Integrated Backup/Taillights		Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 3K**

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
<b>Model #</b>	KP7212VSSV-035	KP7212VSSV-030	KP7214VSSV-035	KP7214VSSV-030	KP8412VSSV-035
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	2990		3500	2990	3500
<b>GAWR (lbs/axle)</b>	3500				
<b>CHASSIS</b>					
<b>Frame</b>					4" x 2" Steel Tube
<b>Tongue</b>	3" x 2" Steel Tube, 6" Extension				6" Extension, 6" x 2" Steel Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Coupler</b>	2" Adjustable				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Set-Back				
<b>Wall Studs</b>	Steel Tube, 16" On-Center				
<b>Roof Bows</b>	Steel Tube, 16" On-Center				
<b>Front Profile</b>	24" Aero Wedge				
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 1500 lb. with Assist				12" Extension with Bullnose Cap, 2500 lb. with Assist
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Axle</b>	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR				
<b>Wheels</b>	15", 5-Hole Aluminum				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Exterior Fastening</b>	VHB Bonded (Screwless)				
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop				
<b>Stone Guard</b>	24" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions				
<b>Ceiling</b>	White ThermoPly®				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(2) LED				
<b>Switches</b>	(1) Dome Light, 12V				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CARGOSPORT CARGO  
CARGOSPORT FLAT TOP AERO WEDGE 3K

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
<b>Connector Plug</b>	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT CARGO  
CARGOSPORT FLAT TOP AERO WEDGE 5K

	6 x 10	6 x 12	6 x 14
<b>Model #</b>	KP7210VSSV-050	KP7212VSSV-050	KP7214VSSV-050
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		5000	
<b>GAWR (lbs/axle)</b>		5000	
<b>CHASSIS</b>			
<b>Tongue</b>	3" x 2" Steel Tube, 6" Extension		
<b>Crossmembers</b>	Formed Steel, 16" On-Center		
<b>Coupler</b>	2" Adjustable		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	2K Set-Back		
<b>Wall Studs</b>	Steel Tube, 16" On-Center		
<b>Roof Bows</b>	Steel Tube, 16" On-Center		
<b>Front Profile</b>	24" Aero Wedge		
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 1500 lb. with Assist		
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Axle</b>	5200 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST225/75R15D 8-PR		
<b>Wheels</b>	15", 6-Hole Aluminum		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Automotive		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop		
<b>Stone Guard</b>	24" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions		
<b>Ceiling</b>	White ThermoPly®		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.







**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
<b>Model #</b>	KP7212VSSV-070	KP8412VSSV-070	KP8414VSSV-070	KP8416VSSV-070	KP8418VSSV-070	KP8420VSSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 1500 lb. with Assist	12" Extension with Bullnose Cap, 2500 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 7K**

	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14
<b>Model #</b>	KP9014VSSV-070	KP9016VSSV-070	KP9018VSSV-070	KP9020VSSV-070	KP10212VSSV-070	KP10214VSSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge				30" Aero Wedge	
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 2500 lb. with Assist				12" Extension with Bullnose Cap, 4000 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 7K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	KP10216VSSV-070	KP10218VSSV-070	KP10220VSSV-070	KP10222VSSV-070	KP10224VSSV-070	KP10226VSSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



8.5 x 28	
<b>Model #</b>	KP10228VSSV-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	6" x 2" Steel Tube
<b>Tongue</b>	6" Extension, 8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" Adjustable
<b>Safety Chains</b>	DOT Compliant
<b>Tongue Jack</b>	5K Set-Back
<b>Wall Studs</b>	Steel Tube, 16" On-Center
<b>Roof Bows</b>	Steel Tube, 16" On-Center
<b>Front Profile</b>	30" Aero Wedge
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Smooth Aluminum
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Aluminum
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	VHB Bonded (Screwless)
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop
<b>Stone Guard</b>	24" ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions
<b>Ceiling</b>	White ThermoPly®
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(2) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Connector Plug</b>	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

	7 x 14	7 x 16	7 x 18	7 x 20	7 x 22	7.5 x 14
<b>Model #</b>	KP8414VSSV-100	KP8416VSSV-100	KP8418VSSV-100	KP8420VSSV-100	KP8422VSSV-100	KP9014VSSV-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 2500 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 10K**

	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16
<b>Model #</b>	KP9016VSSV-100	KP9018VSSV-100	KP9020VSSV-100	KP10212VSSV-100	KP10214VSSV-100	KP10216VSSV-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	24" Aero Wedge			30" Aero Wedge		
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 2500 lb. with Assist			12" Extension with Bullnose Cap, 4000 lb. with Assist		
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback			36" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
<b>Model #</b>	KP10218VSSV-100	KP10220VSSV-100	KP10222VSSV-100	KP10224VSSV-100	KP10226VSSV-100	KP10228VSSV-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 6" x 2" Steel Triple Tube					6" Extension, 8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Set-Back					5K Set-Back
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

	8.5 x 30	8.5 x 32	8.5 x 34
<b>Model #</b>	KP10230VSSV-100	KP10232VSSV-100	KP10234VSSV-100
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>	9900		
<b>GAWR (lbs/axle)</b>	5000		
<b>CHASSIS</b>			
<b>Frame</b>	6" x 2" Steel Tube		
<b>Tongue</b>	6" Extension, 8" x 2" Steel Triple Tube		
<b>Crossmembers</b>	Formed Steel, 16" On-Center		
<b>Integrated Step(s)</b>	Interior Recessed		
<b>Coupler</b>	2-5/16" Adjustable		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	5K Set-Back		
<b>Wall Studs</b>	Steel Tube, 16" On-Center		
<b>Roof Bows</b>	Steel Tube, 16" On-Center		
<b>Front Profile</b>	30" Aero Wedge		
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist		
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Smooth Aluminum		
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST225/75R15D 8-PR		
<b>Wheels</b>	15", 6-Hole Aluminum		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Automotive		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop		
<b>Stone Guard</b>	24" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions		
<b>Ceiling</b>	White ThermoPly®		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT CARGO**  
**CARGOSPORT FLAT TOP AERO WEDGE 16K**

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
<b>Model #</b>	KP10220VSSV-160	KP10222VSSV-160	KP10224VSSV-160	KP10226VSSV-160	KP10228VSSV-160	KP10230VSSV-160
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	16000					
<b>GAWR (lbs/axle)</b>	8000					
<b>CHASSIS</b>						
<b>Frame</b>	8" x 2" Steel Tube					
<b>Tongue</b>	6" Extension, 8" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	12K Drop Leg, Set-Back					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Bullnose Cap, 4000 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 8000 lb. Drop Spring Brake					
<b>Hubs</b>	Oil Bath					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	215/75R17.5J 18-PR					
<b>Wheels</b>	17.5", 8-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	White ThermoPly®					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

