

CARGOSPORT ALUMINUM CAR HAULER

CARGOSPORT FLAT TOP V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24				
Ba adal #	KP10216VSSVCHA-	KP10218VSSVCHA-	KP10220VSSVCHA-	KP10222VSSVCHA-	KP10224VSSVCHA-				
Model #	070	070	070	070	070				
CAPACITIES									
GVWR (lbs)	7000								
GAWR (lbs/axle)			3500						
CHASSIS									
Frame	6" x 2" Double Hollow Aluminum Tube								
Tongue	6" x 2" Double Hollow Aluminum Triple Tube								
Crossmembers	Aluminum Tube, 16" On-Center								
Coupler	2-5/16" A-Frame								
Safety Chains	DOT Compliant								
Tongue Jack	2K Coupler Mounted								
Wall Studs	Aluminum Tube, 16" On-Center								
Roof Bows	Aluminum Tube, 16" On-Center								
Front Profile	30" Sloped V-Nose with 6" Drop								
Beavertail		48"							
Ramp(s)	12" Extension, Aluminum with Assist								
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback								
Vents	Sidewall Airflow								
Fenders	Aluminum Treadplate								
Axle	(2) 3500 lb. Drop Spring Brake								
Hubs	Easy Lube								
Breakaway	Battery, Switch, and Lanyard								
Tires	ST205/75R15C 6-PR								
Wheels	15", 5-Hole Steel								
Exterior Finish	.030" Aluminum								
Exterior Fastening	VHB Bonded (Screwless)								
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop								
Stone Guard	24" Sloped ATP								
Roof	Flat Top Seamless Aluminum								
Interior Walls	Engineered Wood								
Interior Trim	Vinyl Wall Transitions								
Ceiling	Lauan Strip								
Flooring	3/4" Engineered Wood								
Interior Lights	(2) LED								
Switches	(1) Dome Light, 12V								
Cargo Control	(4) 5000 lb. Recessed D-Rings								
Connector Plug	Round 7-pin Blade								
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights								



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CARGOSPORT ALUMINUM CAR HAULER

CARGOSPORT FLAT TOP V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
	KP10220VSSVCHA-	KP10222VSSVCHA-	KP10224VSSVCHA-	KP10226VSSVCHA-	KP10228VSSVCHA-	KP10230VSSVCHA-		
Model #	100	100	100	100	100	100		
CAPACITIES								
GVWR (lbs)	9900							
GAWR (lbs/axle)	5000							
CHASSIS								
Frame		6" x 2" Double Holl	8" x 2" Double Hollow Aluminum Tube					
_			8" x 2" Double Hollow Aluminum Triple					
Tongue		6" x 2" Double Hollow	Tube					
Crossmembers	Aluminum Tube, 16" On-Center							
Coupler	2-5/16" A-Frame							
Safety Chains	DOT Compliant							
Tongue Jack		2K Couple	er Mounted		5K Coupler Mounted			
Wall Studs			Aluminum Tube	e, 16" On-Center				
Roof Bows	Aluminum Tube, 16" On-Center							
Front Profile	30" Sloped V-Nose with 6" Drop							
Beavertail	48"							
Ramp(s)	12" Extension, Aluminum with Assist							
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback							
Vents	Sidewall Airflow							
Fenders	Aluminum Treadplate							
Axle	(2) 5200 lb. Drop Spring Brake							
Hubs	Easy Lube							
Breakaway	Battery, Switch, and Lanyard							
Tires	ST225/75R15D 8-PR							
Wheels	15", 6-Hole Steel							
Exterior Finish	.030" Aluminum							
Exterior Fastening	VHB Bonded (Screwless)							
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop							
Stone Guard	24" Sloped ATP							
Roof	Flat Top Seamless Aluminum							
Interior Walls	Engineered Wood							
Interior Trim	Vinyl Wall Transitions							
Ceiling	Lauan Strip							
Flooring	3/4" Engineered Wood							
Interior Lights	(2) LED							
Switches	(1) Dome Light, 12V							
Cargo Control	(4) 5000 lb. Recessed D-Rings							
Connector Plug	Round 7-pin Blade							
Exterior Lights		Full l	LED, DOT Compliant, Ir	ntegrated Backup/Tail	lights			



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$





CARGOSPORT FLAT TOP V-NOSE 10K

	8.5 x 32			
Model #	KP10232VSSVCHA-100			
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5000			
CHASSIS				
Frame	8" x 2" Double Hollow Aluminum Tube			
Tongue	8" x 2" Double Hollow Aluminum Triple Tube			
Crossmembers	Aluminum Tube, 16" On-Center			
Coupler	2-5/16" A-Frame			
Safety Chains	DOT Compliant			
Tongue Jack	5K Coupler Mounted			
Wall Studs	Aluminum Tube, 16" On-Center			
Roof Bows	Aluminum Tube, 16" On-Center			
Front Profile	30" Sloped V-Nose with 6" Drop			
Beavertail	48"			
Ramp(s)	12" Extension, Aluminum with Assist			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 5200 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Steel			
Exterior Finish	.030" Aluminum			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop			
Stone Guard	24" Sloped ATP			
Roof	Flat Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Vinyl Wall Transitions			
Ceiling	Lauan Strip			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Dome Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			
Connector Plug	Round 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights			

