



**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 3K**

	6 x 10	6 x 12	6 x 14
<b>Model #</b>	KP7210VSSVA-030	KP7212VSSVA-030	KP7214VSSVA-030
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		2990	
<b>GAWR (lbs/axle)</b>		3500	
<b>CHASSIS</b>			
<b>Frame</b>	3" x 2" Aluminum Tube		
<b>Tongue</b>	4" x 2" Aluminum Tube		
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center		
<b>Coupler</b>	2" A-Frame		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	2K Coupler Mounted		
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center		
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center		
<b>Front Profile</b>	24" Sloped V-Nose with 12" Drop		
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist		
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Aluminum Treadplate		
<b>Axle</b>	3500 lb. Drop Spring Idler		
<b>Hubs</b>	Easy Lube		
<b>Tires</b>	ST205/75R15C 6-PR		
<b>Wheels</b>	15", 5-Hole Steel		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions		
<b>Ceiling</b>	Luan Strip		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Flat 4-pin		
<b>Exterior Lights</b>	Full LED, DOT Compliant		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7.5 x 12
<b>Model #</b>	KP7212VSSVA-070	KP8412VSSVA-070	KP8414VSSVA-070	KP8416VSSVA-070	KP8418VSSVA-070	KP9012VSSVA-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Aluminum Tube					
<b>Tongue</b>	4" x 2" Aluminum Tube	5" x 2" Aluminum Tube				
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center					
<b>Front Profile</b>	24" Sloped V-Nose with 12" Drop					
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 7K**

	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16	8.5 x 18
<b>Model #</b>	KP9014VSSVA-070	KP9016VSSVA-070	KP9018VSSVA-070	KP9020VSSVA-070	KP10216VSSVA-070	KP10218VSSVA-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Aluminum Tube				6" x 2" Double Hollow Aluminum Tube	
<b>Tongue</b>	5" x 2" Aluminum Tube				6" x 2" Double Hollow Aluminum Triple Tube	
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center					
<b>Front Profile</b>	24" Sloped V-Nose with 12" Drop				30" Sloped V-Nose with 12" Drop	
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback				36" Wide Flush Lock, Cast Aluminum Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 7K**

	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	KP10220VSSVA-070	KP10222VSSVA-070	KP10224VSSVA-070
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		7000	
<b>GAWR (lbs/axle)</b>		3500	
<b>CHASSIS</b>			
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube		
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube		
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center		
<b>Coupler</b>	2-5/16" A-Frame		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	2K Coupler Mounted		
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center		
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center		
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop		
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist		
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Aluminum Treadplate		
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST205/75R15C 6-PR		
<b>Wheels</b>	15", 5-Hole Steel		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions		
<b>Ceiling</b>	Lauan Strip		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) LED		
<b>Switches</b>	(1) Dome Light, 12V		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 10K**

	7.5 x 12	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16
<b>Model #</b>	KP9012VSSVA-100	KP9014VSSVA-100	KP9016VSSVA-100	KP9018VSSVA-100	KP9020VSSVA-100	KP10216VSSVA-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	10000					9900
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Aluminum Tube					6" x 2" Double Hollow Aluminum Tube
<b>Tongue</b>	5" x 2" Aluminum Tube					6" x 2" Double Hollow Aluminum Triple Tube
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center					
<b>Front Profile</b>	24" Sloped V-Nose with 12" Drop					30" Sloped V-Nose with 12" Drop
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					36" Wide Flush Lock, Cast Aluminum Holdback
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 10K**

	7.5 x 12	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CARGOSPORT ALUMINUM CARGO  
CARGOSPORT FLAT TOP V-NOSE 10K**

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	KP10218VSSVA-100	KP10220VSSVA-100	KP10222VSSVA-100	KP10224VSSVA-100
<b>CAPACITIES</b>				
<b>GVWR (lbs)</b>	9900			
<b>GAWR (lbs/axle)</b>	5000			
<b>CHASSIS</b>				
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube			
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube			
<b>Crossmembers</b>	Aluminum Tube, 24" On-Center			
<b>Coupler</b>	2-5/16" A-Frame			
<b>Safety Chains</b>	DOT Compliant			
<b>Tongue Jack</b>	2K Coupler Mounted			
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center			
<b>Roof Bows</b>	Aluminum Tube, 24" On-Center			
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop			
<b>Ramp(s)</b>	12" Extension, Aluminum with Assist			
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback			
<b>Vents</b>	Sidewall Airflow			
<b>Fenders</b>	Aluminum Treadplate			
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake			
<b>Hubs</b>	Easy Lube			
<b>Breakaway</b>	Battery, Switch, and Lanyard			
<b>Tires</b>	ST225/75R15D 8-PR			
<b>Wheels</b>	15", 6-Hole Steel			
<b>Exterior Finish</b>	.030" Aluminum			
<b>Exterior Fastening</b>	VHB Bonded (Screwless)			
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop			
<b>Roof</b>	Flat Top Seamless Aluminum			
<b>Interior Walls</b>	Engineered Wood			
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions			
<b>Ceiling</b>	Lauan Strip			
<b>Flooring</b>	3/4" Engineered Wood			
<b>Interior Lights</b>	(2) LED			
<b>Switches</b>	(1) Dome Light, 12V			
<b>Connector Plug</b>	Round 7-pin Blade			
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

