



JOURNEY SE CAR HAULER
JOURNEY SE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216SERFCH-070	KP10218SERFCH-070	KP10220SERFCH-070	KP10222SERFCH-070	KP10224SERFCH-070	KP10226SERFCH-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					
Beavertail	32"					48"
Ramp(s)	16" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CAR HAULER
JOURNEY SE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228SERFCH-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Round
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Round Top Seamless Aluminum
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
JOURNEY SE ROUND TOP ROUND FRONT 7K

8.5 x 28

Exterior Lights

Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
 JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216SESVCH-100	KP10218SESVCH-100	KP10220SESVCH-100	KP10222SESVCH-100	KP10224SESVCH-100	KP10226SESVCH-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Beavertail	32"			48"		
Ramp(s)	16" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CAR HAULER
JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228SESVCH-100
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Sloped V-Nose with 6" Drop
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 5200 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Luan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
 JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Model #	KP10220SESVCH-140	KP10222SESVCH-140	KP10224SESVCH-140	KP10226SESVCH-140	KP10228SESVCH-140	KP10230SESVCH-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Beavertail	48"					
Ramp(s)	16" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CAR HAULER
JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
 JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216SESVCH-070	KP10218SESVCH-070	KP10220SESVCH-070	KP10222SESVCH-070	KP10224SESVCH-070	KP10226SESVCH-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Beavertail	32"				48"	
Ramp(s)	16" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CAR HAULER
JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28

Model #	KP10228SESVCH-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Sloped V-Nose with 6" Drop
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Luan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
 JOURNEY SE ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216SERFCH-100	KP10218SERFCH-100	KP10220SERFCH-100	KP10222SERFCH-100	KP10224SERFCH-100	KP10226SERFCH-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					
Beavertail	32"					48"
Ramp(s)	16" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CAR HAULER
JOURNEY SE ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

8.5 x 28	
Model #	KP10228SERFCH-100
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Round
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 5200 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Round Top Seamless Aluminum
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CAR HAULER
JOURNEY SE ROUND TOP ROUND FRONT 10K

8.5 x 28

Exterior Lights

Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.