



JOURNEY SE CARGO
JOURNEY SE ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12
Model #	KP7210SERF-030	KP7212SERF-030	KP7214SERF-030	KP8412SERF-035
CAPACITIES				
GVWR (lbs)	2990			3500
GAWR (lbs/axle)	3500			
CHASSIS				
Frame	3" x 2" Steel Tube			4" x 2" Steel Tube
Tongue	3" x 2" Steel Tube			6" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center			
Coupler	2" A-Frame			
Safety Chains	DOT Compliant			
Tongue Jack	2K Coupler Mounted			
Roof Bows	Steel Tube, 24" On-Center			
Front Profile	Round			
Ramp(s)	12" Extension, 1500 lb. with Assist		12" Extension, 2500 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback			
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	
Hubs	Easy Lube			
Breakaway				Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop			
Stone Guard	24" ATP			
Roof	Round Top Seamless Aluminum			
Roof Cap	TPO			
Interior Walls	Engineered Wood			
Interior Trim	Vinyl Wall Transitions			
Ceiling	Luan Strip			
Flooring	3/4" Engineered Wood			
Interior Lights	(1) LED			
Switches	(1) Dome Light, 12V			
Connector Plug	Flat 4-pin		Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant		Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Model #	KP7212SERF-070	KP8412SERF-070	KP8414SERF-070	KP8416SERF-070	KP8418SERF-070	KP8420SERF-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube				6" x 2" Steel Tube	
Tongue	4" x 2" Steel Tube	6" x 2" Steel Tube				
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	12" Extension, 1500 lb. with Assist	12" Extension, 2500 lb. with Assist				
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CARGO
JOURNEY SE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Model #	KP10216SERF-070	KP10218SERF-070	KP10220SERF-070	KP10222SERF-070	KP10224SERF-070
CAPACITIES					
GVWR (lbs)	7000				
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	6" x 2" Steel Tube				
Tongue	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Round				
Ramp(s)	12" Extension, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(2) 3500 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Round Top Seamless Aluminum				
Roof Cap	TPO				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Ceiling	Lauan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 14	7.5 x 16
Model #	KP8414SESV-100	KP8416SESV-100	KP8418SESV-100	KP8420SESV-100	KP9014SESV-100	KP9016SESV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 2500 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18
Model #	KP9018SESV-100	KP9020SESV-100	KP10212SESV-100	KP10214SESV-100	KP10216SESV-100	KP10218SESV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube		6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center		Steel Tube, 16" On-Center			
Front Profile	24" Sloped V-Nose with 6" Drop		30" Sloped V-Nose with 6" Drop			
Ramp(s)	12" Extension, 2500 lb. with Assist		12" Extension, 4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Wire Holdback		36" Wide Flush Lock, Wire Holdback			
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Model #	KP10220SESV-100	KP10222SESV-100	KP10224SESV-100	KP10226SESV-100	KP10228SESV-100	KP10230SESV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube				8" x 2" Steel Tube	
Tongue	6" x 2" Steel Triple Tube				8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted				5K Coupler Mounted	
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	8.5 x 32	8.5 x 34
Model #	KP10232SESV-100	KP10234SESV-100
CAPACITIES		
GVWR (lbs)	9900	
GAWR (lbs/axle)	5000	
CHASSIS		
Frame	8" x 2" Steel Tube	
Tongue	8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center	
Integrated Step(s)	Interior Recessed	
Coupler	2-5/16" A-Frame	
Safety Chains	DOT Compliant	
Tongue Jack	5K Coupler Mounted	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 16" On-Center	
Front Profile	30" Sloped V-Nose with 6" Drop	
Ramp(s)	12" Extension, 4000 lb. with Assist	
Side Door	36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow	
Fenders	Smooth Aluminum	
Axle	(2) 5200 lb. Drop Spring Brake	
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR	
Wheels	15", 6-Hole Steel	
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Exterior Fastening	VHB Bonded (Screwless)	
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop	
Stone Guard	24" ATP	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Vinyl Wall Transitions	
Ceiling	Lauan Strip	
Flooring	3/4" Engineered Wood	
Interior Lights	(1) LED	
Switches	(1) Dome Light, 12V	
Connector Plug	Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 16	8.5 x 12
Model #	KP8414SESV-140	KP8416SESV-140	KP8418SESV-140	KP8420SESV-140	KP9016SESV-140	KP10212SESV-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 6" Drop					30" Sloped V-Nose with 6" Drop
Ramp(s)	12" Extension, 2500 lb. with Assist					12" Extension, 4000 lb. with Assist
Side Door	32" Wide Flush Lock, Wire Holdback					36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 16	8.5 x 12
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Model #	KP10214SESV-140	KP10216SESV-140	KP10218SESV-140	KP10220SESV-140	KP10222SESV-140	KP10224SESV-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	KP10226SESV-140	KP10228SESV-140	KP10230SESV-140	KP10232SESV-140	KP10234SESV-140
CAPACITIES					
GVWR (lbs)	14000				
GAWR (lbs/axle)	7000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	8" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Adjustable				
Safety Chains	DOT Compliant				
Tongue Jack	7K Drop Leg, Set-Back				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	30" Sloped V-Nose with 6" Drop				
Ramp(s)	12" Extension, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(2) 7000 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST235/80R16E 10-PR				
Wheels	16", 8-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Ceiling	Lauan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	KP6008SESV-030	KP6008SESV-035	KP6010SESV-035	KP6010SESV-030	KP7210SESV-030	KP7210SESV-035
CAPACITIES						
GVWR (lbs)	2990	3500		2990		3500
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	3" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 1500 lb. with Assist					
Side Door					32" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake
Hubs	Easy Lube					
Breakaway		Battery, Switch, and Lanyard				Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin	Round 7-pin Blade		Flat 4-pin		Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Exterior Lights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights		Full LED, DOT Compliant		Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 3K

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
Model #	KP7212SESV-035	KP7212SESV-030	KP7214SESV-030	KP7214SESV-035	KP8412SESV-035
CAPACITIES					
GVWR (lbs)	3500	2990		3500	
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	3" x 2" Steel Tube				4" x 2" Steel Tube
Tongue	3" x 2" Steel Tube				6" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	24" Sloped V-Nose with 6" Drop				
Ramp(s)	12" Extension, 1500 lb. with Assist				12" Extension, 2500 lb. with Assist
Side Door	32" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard	
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Ceiling	Lauan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade	Flat 4-pin		Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant		Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 5K

	6 x 10	6 x 12	6 x 14
Model #	KP7210SESV-050	KP7212SESV-050	KP7214SESV-050
CAPACITIES			
GVWR (lbs)		5000	
GAWR (lbs/axle)		5000	
CHASSIS			
Frame		4" x 2" Steel Tube	
Tongue		4" x 2" Steel Tube	
Crossmembers		Formed Steel, 16" On-Center	
Coupler		2" A-Frame	
Safety Chains		DOT Compliant	
Tongue Jack		2K Coupler Mounted	
Wall Studs		Steel Tube, 16" On-Center	
Roof Bows		Steel Tube, 24" On-Center	
Front Profile		24" Sloped V-Nose with 6" Drop	
Ramp(s)		12" Extension, 1500 lb. with Assist	
Side Door		32" Wide Flush Lock, Wire Holdback	
Vents		Sidewall Airflow	
Fenders		Smooth Aluminum	
Axle		5200 lb. Drop Spring Brake	
Hubs		Easy Lube	
Breakaway		Battery, Switch, and Lanyard	
Tires		ST225/75R15D 8-PR	
Wheels		15", 6-Hole Steel	
Exterior Finish		.030" Aluminum	
Undercoating		Automotive	
Exterior Fastening		VHB Bonded (Screwless)	
Exterior Trim		1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop	
Stone Guard		24" ATP	
Roof		Flat Top Seamless Aluminum	
Interior Walls		Engineered Wood	
Interior Trim		Vinyl Wall Transitions	
Ceiling		Luan Strip	
Flooring		3/4" Engineered Wood	
Interior Lights		(1) LED	
Connector Plug		Round 7-pin Blade	
Exterior Lights		Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Model #	KP7210SESV-070	KP7212SESV-070	KP7214SESV-070	KP8412SESV-070	KP8414SESV-070	KP8416SESV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube			6" x 2" Steel Tube		
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 1500 lb. with Assist			12" Extension, 2500 lb. with Assist		
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	7 x 18	7 x 20	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20
Model #	KP8418SESV-070	KP8420SESV-070	KP9014SESV-070	KP9016SESV-070	KP9018SESV-070	KP9020SESV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 2500 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	KP10212SESV-070	KP10214SESV-070	KP10216SESV-070	KP10218SESV-070	KP10220SESV-070	KP10222SESV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE FLAT TOP SLOPED V-NOSE 7K

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	KP10224SESV-070	KP10226SESV-070	KP10228SESV-070	KP10230SESV-070	KP10232SESV-070	KP10234SESV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube			8" x 2" Steel Tube		
Tongue	6" x 2" Steel Triple Tube			8" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted			5K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





JOURNEY SE CARGO
JOURNEY SE ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Model #	KP8414SERF-100	KP8416SERF-100	KP8418SERF-100	KP8420SERF-100	KP10216SERF-100	KP10218SERF-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube				6" x 2" Steel Triple Tube	
Crossmembers	Steel Formed Channel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center				Steel Tube, 16" On-Center	
Front Profile	Round					
Ramp(s)	12" Extension, 2500 lb. with Assist				12" Extension, 4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



	8.5 x 20	8.5 x 22	8.5 x 24
Model #	KP10220SERF-100	KP10222SERF-100	KP10224SERF-100
CAPACITIES			
GVWR (lbs)		9900	
GAWR (lbs/axle)		5000	
CHASSIS			
Frame	6" x 2" Steel Tube		
Tongue	6" x 2" Steel Triple Tube		
Crossmembers	Steel Formed Channel, 16" On-Center		
Integrated Step(s)	Interior Recessed		
Coupler	2-5/16" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 16" On-Center		
Front Profile	Round		
Ramp(s)	12" Extension, 4000 lb. with Assist		
Side Door	36" Wide Flush Lock, Wire Holdback		
Vents	Sidewall Airflow		
Fenders	Smooth Aluminum		
Axle	(2) 5200 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST225/75R15D 8-PR		
Wheels	15", 6-Hole Steel		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Exterior Fastening	VHB Bonded (Screwless)		
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop		
Stone Guard	24" ATP		
Roof	Round Top Seamless Aluminum		
Roof Cap	TPO		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Ceiling	Lauan Strip		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.