



OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
<b>Model #</b>	KP6008STSV-035	KP6008STSV-030	KP6010STSV-030	KP6010STSV-035	KP7210STSV-030	KP7210STSV-035
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	3500	2990		3500	2990	3500
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	3" x 2" Steel Tube					
<b>Tongue</b>	3" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist					
<b>Side Door</b>					32" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard		Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade	Flat 4-pin		Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 3K

5 x 8

5 x 8

5 x 10

5 x 10

6 x 10

6 x 10

Exterior Lights

Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 3K**

	6 x 10	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
<b>Model #</b>	KP7210STSV-050	KP7212STSV-035	KP7212STSV-030	KP7214STSV-030	KP7214STSV-035	KP8412STSV-030
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	5000	3500	2990		3500	2990
<b>GAWR (lbs/axle)</b>	5200	3500				
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube	3" x 2" Steel Tube				3" x 2" Steel Tube, 4" x 2" Steel Tube
<b>Tongue</b>	4" x 2" Steel Tube	3" x 2" Steel Tube				
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist					2500 lb. with Assist
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard		
<b>Tires</b>	ST225/75R15D 8-PR	ST205/75R15C 6-PR				
<b>Wheels</b>	15", 6-Hole Steel	15", 5-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 3K

	6 x 10	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
<b>Connector Plug</b>	Round 7-pin Blade		Flat 4-pin		Round 7-pin Blade	Flat 4-pin
<b>Exterior Lights</b>	Full LED, DOT Compliant					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

7 x 12	
<b>Model #</b>	KP8412STSV-035
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	3500
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	4" x 2" Steel Tube
<b>Tongue</b>	4" x 2" Steel Tube
<b>Crossmembers</b>	Formed Steel, 24" On-Center
<b>Coupler</b>	2" A-Frame
<b>Safety Chains</b>	DOT Compliant
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 24" On-Center
<b>Roof Bows</b>	Steel Tube, 24" On-Center
<b>Front Profile</b>	V-Nose
<b>Ramp(s)</b>	2500 lb. with Assist
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Smooth Aluminum
<b>Axle</b>	3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	Color Matching Screws
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop
<b>Stone Guard</b>	16" ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Vinyl Wall Transitions
<b>Ceiling</b>	Luan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(1) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Connector Plug</b>	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 5K

	6 x 12	6 x 14
<b>Model #</b>	KP7212STSV-050	KP7214STSV-050
<b>CAPACITIES</b>		
<b>GVWR (lbs)</b>	5000	
<b>GAWR (lbs/axle)</b>	5200	
<b>CHASSIS</b>		
<b>Frame</b>	4" x 2" Steel Tube	
<b>Tongue</b>	4" x 2" Steel Tube	
<b>Crossmembers</b>	Formed Steel, 24" On-Center	
<b>Coupler</b>	2" A-Frame	
<b>Safety Chains</b>	DOT Compliant	
<b>Tongue Jack</b>	2K Coupler Mounted	
<b>Wall Studs</b>	Steel Tube, 24" On-Center	
<b>Roof Bows</b>	Steel Tube, 24" On-Center	
<b>Front Profile</b>	V-Nose	
<b>Ramp(s)</b>	1500 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow	
<b>Fenders</b>	Smooth Aluminum	
<b>Axle</b>	5200 lb. Drop Spring Brake	
<b>Hubs</b>	Easy Lube	
<b>Breakaway</b>	Battery, Switch, and Lanyard	
<b>Tires</b>	ST225/75R15D 8-PR	
<b>Wheels</b>	15", 6-Hole Steel	
<b>Exterior Finish</b>	.030" Aluminum	
<b>Undercoating</b>	Automotive	
<b>Exterior Fastening</b>	Color Matching Screws	
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop	
<b>Stone Guard</b>	16" ATP	
<b>Roof</b>	Flat Top Seamless Aluminum	
<b>Interior Walls</b>	Engineered Wood	
<b>Interior Trim</b>	Vinyl Wall Transitions	
<b>Ceiling</b>	Lauan Strip	
<b>Flooring</b>	3/4" Engineered Wood	
<b>Interior Lights</b>	(1) LED	
<b>Switches</b>	(1) Dome Light, 12V	
<b>Connector Plug</b>	Round 7-pin Blade	
<b>Exterior Lights</b>	Full LED, DOT Compliant	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
<b>Model #</b>	KP7212STSV-070	KP8412STSV-070	KP8414STSV-070	KP8416STSV-070	KP10216STSV-070	KP10218STSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	4" x 2" Steel Tube			6" x 2" Steel Tube		
<b>Tongue</b>	4" x 2" Steel Tube			6" x 2" Steel Triple Tube		
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Integrated Step(s)</b>						Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 24" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	1500 lb. with Assist	2500 lb. with Assist			4000 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	Color Matching Screws					
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
<b>Stone Guard</b>	16" ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



8.5 x 20	
<b>Model #</b>	KP10220STSV-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	6" x 2" Steel Tube
<b>Tongue</b>	6" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 24" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame
<b>Safety Chains</b>	DOT Compliant
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 24" On-Center
<b>Roof Bows</b>	Steel Tube, 24" On-Center
<b>Front Profile</b>	V-Nose
<b>Ramp(s)</b>	4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Smooth Aluminum
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	Color Matching Screws
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop
<b>Stone Guard</b>	16" ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Vinyl Wall Transitions
<b>Ceiling</b>	Lauan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(1) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Connector Plug</b>	Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**OUTBACK DLX CARGO  
OUTBACK DLX FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	KP10216STSV-100	KP10218STSV-100	KP10220STSV-100	KP10222STSV-100	KP10224STSV-100
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5000				
<b>CHASSIS</b>					
<b>Frame</b>	6" x 2" Steel Tube				
<b>Tongue</b>	6" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Integrated Step(s)</b>	Interior Recessed				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 24" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Smooth Aluminum				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Exterior Fastening</b>	Color Matching Screws				
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop				
<b>Stone Guard</b>	16" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Ceiling</b>	Lauan Strip				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(1) LED				
<b>Switches</b>	(1) Dome Light, 12V				
<b>Connector Plug</b>	Round 7-pin Blade				
<b>Exterior Lights</b>	Full LED, DOT Compliant				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

